

# LEOPARD 5

BY SOLAR AUTO


\* 2024

FANGCHENGBAO

BYD  
CERTIFIED

SOLAR  
AUTO



**01/****1.5 ტერპო ძრავი****02/****ორი ველაფრთხო ძრავი  
ნიც და უკან**

ნიც ძრავს მარანი 200 კმ/გაზარი  
სიმძლავი, ხოლო უკანას 285 კმ/გაზარი.

**03/****100 კილომეტრზე ნვავთ  
7.8 წილი განვითარების****04/****ველაფრთხო ძრავი**

BYD BLADE BATTERY



LEOPARD 5

SOLARAUTO.GE

**01/**

**31.8 კვტ/სთ ბატარია**

ეზრუნველყოფა სუვთა 125 კმ-ის  
დაფარვებს.

**02/**

**ეპულ აოცარობა  
85 ჩილი**

**03/**

**სავსე ეპული და გორგობი დახუშავები გადის  
1200 კილომეტრს**

02/



\*  
**0-100-მდე პრინტი**

\*  
**ცნობილი დამზადები**

30-80% - 16 წეთში

\*  
**დისკენის დანართი  
მორის დამორჩენება**

2800 მმ

\*  
**ეპსიგურები მორი**

\*  
**31.8 კვტ ტატარი**

ხელს უწყობს 100 კვტ ენერგეტის მიღებას  
სწრაფი დამტენიდან

\*  
**ეპს სამი  
საეპილიკი**

\*  
**ზომა**

სიმრბი 4890 მმ; სიმანი 1970 მმ;  
სიმაღლე 1920 მმ

\*  
**ენერგიის გაცემა**

შეუძლია 6 კილოვატი ენერგეტის გაცემა,  
და სხვა მაჩქანის დამუშავება.

\*  
**D1SUS დაკილების  
ცისცვალა**



**01/  
3 აონიფორი**

1 დიდი 2 პატარა

**05/  
3 აონიფორი**

დიდი მონიტორი 15,6  
ინჩისნის პატარა 12,3

**02/  
სკამის გათვაზა**

ოთხივე სკამის გათბობა (გამრილება  
მხოლოდ ნინა რცს აქვს)

**06/  
ტკვიანი ხარვანი  
ასისტენტი**

**03/  
აინი აუტომატი**

ხელის დასადებთან მიერ  
მაცივარი

**07/  
OFF-ROAD  
რეჟიმი**

**04/  
პარკინგი  
ჭრი**

**08/  
დააჭინი**

უსადენო დამტენი და  
ამასთან თანაფსისა და  
USB პორტები

BASIC PARAMETERS	EXPLORATORY EDITION	PILOT VERSION	YUNQI FLAGSHIP EDITION
Length * width * height (mm)		4890 (including spare tire) * 1970-1920	
Wheelbase (mm)		2800	
Minimum ground clearance (mm)	220		310
Approach angle / departure angle (°)	35°/32°		39°/35°
Tank volume (L)		83	
Body structure		Non-bearing type	
<b>POWER SYSTEM</b>			
Energy type		Plug-in hybrid	
Total power of power system (kW)		505	
Total torque of power system (N m)		760	
Maximum engine power (kW)		143	
Maximum engine torque (N m)		273	
Battery type		Blade battery	
Battery capacity (kW h)		31.8	
Motor form		Permanent magnet synchronous motor	
Front motor peak power (kW)		200	
Front motor peak torque (N m)		360	
Rear motor peak power (kW)		285	
Peak torque of rear motor (N m)		400	
0~100km/h acceleration time (s)		4.8	
Driving form		Intelligent electric four-wheel drive	
30% to 80% DC fast charge time (min)		16	

CLTC electric mileage (km)		125		
Integrated mileage (km)		1200km		
Power deficit and fuel consumption (L/100km) under comprehensive operating conditions		7.8		
<b>CHASSIS SYSTEM</b>				
Intelligent hydraulic body Control system of Yunyi-P Standard Edition	-	-	-	•
Front suspension / rear suspension type		Double forked arm independent suspension		
Front / rear brake type		Ventilated disc type		
<b>OFF-ROAD FUNCTION</b>				
16 driving modes	•	•	•	•
Leopard turn around	•	•	•	•
Low-speed four-wheel drive 4L	•	•	•	•
Forward differential speed lock	-	•	•	•
Rear differential lock	•	•	•	•
Energy lock	•	•	•	•
Trailer anchor point	•	•	•	•
<b>NEW ENERGY TECHNOLOGY</b>				
High efficiency heat pump energy management system	•	•	•	•
In-situ power supply (maximum support for 20kW)	•	•	•	•
V2L Mobile Power Station (6kW)	•	•	•	•
V2V vehicle discharge rescue to vehicle	•	•	•	•
<b>EXTERNAL CONFIGURATION</b>				

Tire size	●265/65 R18 ○275/55 R20			
The way the spare tire is placed	Backpack full size			
LED intelligent far and near lamp	●	●		●
LED front and rear fog lamp	●	●		●
Roof luggage rack	●	●		●
<b>FIPilot L2 + LEVEL INTELLIGENT DRIVING SYSTEM</b>				
HWA Highway Auxiliary system	●	●		●
ILCA intelligent lane-changing assistant	●	●		●
ELKA emergency lane maintenance	●	●		●
ISLI intelligent speed limit alarm	●	●		●
AEB automatic emergency brake	●	●		●
APA full scene automatic parking	●	●		●
Rear lateral impact brake of RCTB	●	●		●
FCTB front lateral impact brake	●	●		●
RCTA rear horizontal collision warning	●	●		●
Lateral collision warning in front of FCTA	●	●		●
Driver fatigue and distraction monitoring	●	●		●
<b>FILINK INTELLIGENT NETWORK CONNECTION COCKPIT</b>				
DEVIALET ®Divare music cockpit	●	●		●
15.6 inch 2.5K HD central control screen	●	●		●
12.3-inch passenger entertainment screen	-	●		●
12.3 inch full liquid crystal instrument	●	●		●
50 inch head up display	-	●		●
Streaming media inner rearview mirror	-	-		●

5G vehicle networking	•	•	•
Four-tone area speech recognition control system	•	•	•
<b>SECURITY CONFIGURATION</b>			
Front airbag of the main driver	•	•	•
Main driver side airbag	•	•	•
The main driver's knee airbag	•	•	•
Front airbag of copilot	•	•	•
Passenger side airbag	•	•	•
Front and rear integrated safety air curtain	•	•	•
Rear side airbag	•	•	•
ABS anti-lock braking system	•	•	•
CDP parking Brake deceleration Control system	•	•	•
EBD Electronic Brake Force Distribution system	•	•	•
HBA hydraulic brake auxiliary system	•	•	•
HHC ramp start assist	•	•	•
Gentle descent of steep slope in HDC	•	•	•
RMI anti-rollover control system	•	•	•
BDW brake disc wiping system	•	•	•
BOS brake priority system	•	•	•
VDC vehicle dynamic Control system	•	•	•
TSM trailer stability control system	•	•	•
DTCS distributed traction Control system	•	•	•

## TPMS DIRECT TIRE PRESSURE MONITORING SYSTEM

Front double pre-tightened seat belts	•	•	•
Driving recorder	•	•	•
Enjoy exquisite space			
Seat material	Cortical layer	Nappa genuine leather	Nappa leather / suede-like leather
Main driving seat function	12-way electric adjustment / waist support / memory / welcome / heating / ventilation		
Main driving seat massage	-	•	•
Co-driver seat function	6-way electric regulation / heating / ventilation	10-way electric regulation / waist support / heating / ventilation	
Co-driver seat massage	-	•	•
The angle of the second row of seats is adjustable	•	•	•
The proportion of the seats in the second row is down.	•	•	•
Compressor cold and warm refrigerator	-	•	•
Automatic double temperature zone air conditioning	•	•	•
Rear air conditioning outlet	•	•	•
Active fragrance system	•	•	•
The whole car window goes up and down with one button.	•	•	•
Front row soundproof glass	•	•	•
Back row privacy glass	•	•	•
Multicolor atmosphere lamp	•	•	•
Can open panoramic skylight (with electric sunshade)	•	•	•

**CONVENIENT RIDE EXPERIENCE**

Trunk electric suction door	-	•	•
Rear door lock limit	•	•	•
Automatic anti-glare inner rearview	•	•	•
Digital key for the whole scene	•	•	•
Front row lifting cup holder	•	•	•

**REMARKS:**

- "" means this configuration, "0" means optional configuration, and "-" means no such configuration.
- In order to better meet the needs of customers, equation Leopard continues to develop and improve its products. Some of the configurations and specifications of market models may be different from this configuration table. For details, please refer to the real car. We will try our best to ensure that the information is complete and accurate.
- On pure electric mileage and comprehensive mileage: in actual road driving, different ambient temperature, driving habits and operation will lead to differences in driving mileage.
- The approach angle, departure angle and minimum ground clearance of the cloud plate are all values when the suspension is adjusted to the maximum.